

Hypertension

Hypertension

- Most recent data (2013): 26% or about 400,700 King County adults age 18+.
- Trend over time: 2001-13: rising
- Description: Ever been told by a doctor, nurse, or other health professional you have high blood pressure
- Healthy People 2020 Goal: 27% or lower

Hypertension, King County, 2009-2013 average

	Percent	Lower CI	Upper CI
King County (adults age 18+)	26	24	27
AGE			
18-24	6	3	9
25-44	13	12	15
45-64	34	31	36
65+	57	55	60
GENDER			
Male	28	26	30
Female	23	21	25
RACE/ETHNICITY			
AIAN	32	20	47
Asian	19	16	23
Black	32	26	38
Hispanic	18	14	23
Multiple	24	17	34
NHPI	*	*	*
White	27	26	29
HOUSEHOLD INCOME			
<\$15,000	28	23	35
\$15,000 to \$24,999	29	24	33
\$25,000 to \$34,999	29	25	33
\$35,000 to \$49,999	29	25	34
\$50,000 to \$74,999	27	24	31
\$75,000+	21	19	23
REGION			
East	25	23	28
North	27	22	33
Seattle	24	22	26
South	28	26	31
STATE			
Washington State	30	29	30

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Hypertension King County, 2009-2013 average



Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

[-----] Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Hypertension by health reporting areas, King County, 2009-2013 average

	Percent	Lower CI	Upper CI
King County (adults age 18+)	26	24	27
Auburn	36	28	44
..Auburn-North	33	24	43
..Auburn-South	40	27	55
Bear Creek/Carnation/Duvall	23	17	29
Bellevue	24	20	29
..Bellevue-Central	27	17	39
..Bellevue-NE	27	19	37
..Bellevue-South	19	13	28
..Bellevue-West	23	14	36
Black Diamond/Enumclaw/SE County	34	27	43
Bothell/Woodinville	34	21	49
Burien	28	20	37
Covington/Maple Valley	25	18	35
Des Moines/Normandy Park	33	24	43
East Federal Way	17	11	25
Fairwood	32	20	46
Federal Way	40	31	50
..Fed Way-Central/Military Rd	46	34	59
..Fed Way-Dash Point/Woodmont	31	21	42
Issaquah	25	14	39
Kenmore/LFP	25	16	37
Kent	25	20	30
..Kent-East	25	16	36
..Kent-SE	23	17	30
..Kent-West	29	18	43
Kirkland	30	25	36
..Kirkland	31	24	39
..Kirkland North	29	20	38
Mercer Isle/Pt Cities	27	20	36
Newcastle/Four Creeks	31	22	43
North Highline	23	12	38
Redmond	24	17	34
Renton	26	21	32
..Renton-East	21	15	30
..Renton-North	29	19	43
..Renton-South	27	20	36
Sammamish	22	16	29
SeaTac/Tukwila	18	12	25
Seattle	24	22	26
..Ballard	21	15	28
..Beacon/Gtown/S.Park	29	19	42
..Capitol Hill/E.lake	20	12	31
..Central Seattle	19	12	29
..Delridge	29	20	41
..Downtown	31	20	45
..Fremont/Greenlake	22	13	34
..NE Seattle	20	15	26
..North Seattle	23	17	30
..NW Seattle	27	20	37
..QA/Magnolia	21	14	30
..SE Seattle	30	21	41
..West Seattle	29	22	38
Shoreline	25	19	31
Snoqualmie/North Bend/Skykomish	28	20	37
Vashon Island	27	17	40

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Hypertension by health reporting areas King County, 2009-2013 average




Note: HRA labels on the map match the chart on the right, listed in alphabetical order

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

Hypertension King County, 2001-2013, three-year rolling averages



Trends over time: King County (2001-13: rising); East KC (2001-13: rising); North KC (2001-13: flat);
 Seattle (2001-13: flat); South KC (2001-13: flat); Washington State (2001-13: rising)
 Source: Behavioral Risk Factor Surveillance System.
 Prepared by Public Health - Seattle & King County, APDE, 07/2016.

Produced by the
[Assessment, Policy Development & Evaluation Unit](#)
[Public Health - Seattle & King County](#)
 07/16